

A INITIAL RELEASE	REV. DESCRIPTION	
EASE 1/25/22	ION DATE	REVISIONS
JNAJERA	APPROVED	





THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS, DIVERSION CONTRARY TO U.S. LAW PROHIBITED.

MICROWAVE

UNLESS OTHERWISE SPECIFIED LEADING DIMENSIONS ARE INCHES DIMENSIONS IN [] ARE MILLIMETERS



an INFINIT® brand

TITLE

TOLERANCES: CABLE LENGTH (L) TOLERANCES: THE INFORMATION AND L \$1 (2) (305) = +1 (25) /-0 X = ±.2 [5.08] FRACTIONS 12 (305) = \(\) (5.01 ± 1/32 60 (15.24] = +2 (51) /-0 AUGILESS +1° 120 (3048) = \(\) (102) /-0 (10.24) = \(\) (102) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.21) /-0 (10.24) (10.24) /-0 (10.24) (10.24) /-0 (10.24) (10.24) /-0 (10.24) (10.24) /-0 (10.24) (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.24) /-0 (10.		(0			
CABLE LENGTH (L.) TOLERANCES: L \$ 12 [305] = +1 [25] - 0 12 [305] < L \$ 60 [1524] = +2 [51] / 0 60 [1524] < L \$ 120 [3048] = +4 [102] / 0 [120 [3048] < L \$ 300 [7620] = +6 [152] / 0 300 [7620] < L = +5%L / - 0 WN ARE FOR REFERENCE ONLY. DRAWN BY HBAKKE ITEM NO. SD8.	≻	iZE		X X X X X X X X X X X X X X X X X X X	
CABLE LENGTH (L.) TOLERANCES: L \$ 12 [305] = +1 [25] - 0 12 [305] < L \$ 60 [1524] = +2 [51] / 0 60 [1524] < L \$ 120 [3048] = +4 [102] / 0 [120 [3048] < L \$ 300 [7620] = +6 [152] / 0 300 [7620] < L = +5%L / - 0 WN ARE FOR REFERENCE ONLY. DRAWN BY HBAKKE ITEM NO. SD8.	CAGE CO	ALL DIM	TOLERA [5.08] [5.13] [5.13]		
NCES: [25] / -0 [51] / -0 [102] / -0 %L / -0 %L / -0	XR5		ENSIONS SHC	NCES: FRACTIONS ± 1/32 ANGLES ± 1°	
NCES: [25] / -0 [51] / -0 [102] / -0 %L / -0 %L / -0	HBAKKE	DRAWN BY	WN ARE FOR REFERENCE ONLY.		
THE INFORMATION AND DESIGNATION IN THIS DOCUMENT IS THE PROPERTY OF FAIRWEN MICROWAVE CORPOPATION. ALL RIGHTS RESERVED. SHEET 1 0F 1 SCALE N/A REV A REV A	SD8	ITEM NO.		(L) TOLERANCES: 2 (305) = +1 (25) / 0 (1524) = +2 (51) / 0 (3048) = +4 (102) / 0 (7620) = +6 (152) / 0 20) < L = +5%L / 0	
ION MAND TO COMPONENT REVOCATION. SERVED. 1 1 REV	3261			THE INFORMATION THE PROPERTY OF THE PROPERTY O	
	⊳	REV	/A	ION AND IOCUMENT OCUMENT OCHEPORATION. SERVED. YF 1	