

RA EIA Flange Genderless Connector Clamp/Non-Solder Contact Attachment for LMR-900, LMR-900-LLPL Cable



**EZ-900-78EIA-RA-2-SP**



**Times Microwave Systems Connector Specification**

**Configuration**

- EIA Flange Genderless Connector
- 50 Ohms
- Right Angle Body Geometry
- Connector Interface Types: LMR-900, LMR-900-LLPL

**Features**

- Operating Frequency of 1 GHz Max.
- Good VSWR of 1.35:1
- Silver Plated Brass Contact
- 200 µin minimum contact plating

**Applications**

- General Purpose Test
- Custom Cable Assemblies

**Description**

RA INVALID ALIAS LOOKUP FOR \*EIA Flange\* Genderless Standard Connector Clamp/Non-Solder Contact Attachment for LMR-900 and LMR-900-LLPL Cable, part number EZ-900-78EIA-RA-2-SP, from Times Microwave offered by Fairview Microwave is in-stock and ships same day. This INVALID ALIAS LOOKUP FOR \*EIA Flange\* genderless connector operates up to a maximum frequency of 1 GHz and offers good VSWR of 1.35:1. Its right angle body geometry facilitates connections in tight spaces.

Times Microwave's RA INVALID ALIAS LOOKUP FOR \*EIA Flange\* genderless connector EZ-900-78EIA-RA-2-SP datasheet specifications and outline drawing are shown in this PDF below. Our extensive offering of RF, microwave and millimeter wave connectors allows designers to configure and customize their signal connections however they like. From providing an I/O for a board design to creating a custom cable assembly configuration, Fairview Microwave has a connector solution to meet your needs. Fairview Microwave also has the expertise to build your custom cable assemblies for you and ship them same-day.

**Electrical Specifications**

Description	Minimum	Typical	Maximum	Units
Frequency Range	DC		1,000	MHz
VSWR			1.35:1	
Insertion Loss			0.1	dB
Test Voltage (DC)			2,500	Vdc
Insulation Resistance	10,000			MOhms
Impedance		50		Ohms

Electrical Specification Notes:  
Insertion loss is equal to 0.1\*SQRT(F(GHz))

**Mechanical Specifications**

**Size**

Length	2.22 in [56.39 mm]
Width	2.09 in [53.09 mm]
Height	2.09 in [53.09 mm]
Weight	1.07 lbs [485.34 g]
Mating Cycles	1,000 Cycles
Cable Retention Force	1,000 lbs [453.59 kg]

RA EIA Flange Genderless Connector Clamp/Non-Solder Contact Attachment for LMR-900, LMR-900-LLPL Cable



**EZ-900-78EIA-RA-2-SP**

**Material Specifications**

Description	Material	Plating
Contact	Brass	Silver 200 µin minimum
Insulation	PTFE	
Body	Brass	Tri-Metal 100 µin minimum
Coupling Nut	Brass	Nickel 100 µin minimum
Gasket	Silicone	

**Environmental Specifications**

**Temperature**

Operating Range

-40 to +85 deg C

Shock

MIL-STD 202G, Meth.213, Cond I

Vibration

MIL-STD 202G, Meth.204, Cond.B

Thermal Shock

MIL-STD 202G, Meth.107, Cond.B

**Compliance Certifications** (see [product page](#) for current document)

**Plotted and Other Data**

Notes:

RA EIA Flange Genderless Connector Clamp/Non-Solder Contact Attachment for LMR-900, LMR-900-LLPL Cable from Fairview Microwave is in-stock and available to ship same-day. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Lewisville, Texas. Fairview Microwave is RF on-demand.

For additional information on this product, please click the following link: [RA EIA Flange Genderless Connector Clamp/Non-Solder Contact Attachment for LMR-900, LMR-900-LLPL Cable EZ-900-78EIA-RA-2-SP](#)

URL: <https://www.fairviewmicrowave.com/product/rf-connectors/eia-flange-genderless-lmr-900-lmr-900-llpl-connector-ez-900-78eia-ra-2-sp.html>

The information contained within this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part in order to implement improvements. Fairview Microwave reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Fairview Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Fairview Microwave does not assume liability arising out of the use of any part or document.

# EZ-900-78EIA-RA-2-SP CAD Drawing

RA EIA Flange Genderless Connector Clamp/Non-Solder Contact Attachment for LMR-900, LMR-900-LLPL Cable

