

FMC0117315-12 DATA SHEET

N Male to RA MCX Plug Cable RG-316 Coax in 12 Inch

Electrical Specifications

Description	Min	Тур	Max	Units				
Frequency Range	DC		3	GHz				
VSWR		1.35:1						
Velocity of Propagation		70						
Capacitance	3	32 [104.99]						

Mechanical Specifications

Cable Assembly

Length 12 in [304.8 mm] Weight 0.017 lbs [7.71 g]

Cable

Cable Type RG-316 50 Ohms Impedance Inner Conductor Type Solid

Inner Conductor Material and Plating Dielectric Type PTFE

Number of Shields Shield Layer 1 Jacket Material

Jacket Diameter

Copper, Silver

Silver Plated Copper Braid

FEP, Tan

0.098 in [2.49 mm]

Connectors

Description	Connector 1	Connector 2
Туре	N Male	MCX Plug Right Angle
Impedance	50 Ohms	50 Ohms
Configuration	Straight	Right Angle
Contact Material & Plating	Beryllium Copper, Gold	Beryllium Copper, Gold
Dielectric Type	PTFE	PTFE
Body Material & Plating	Brass, Nickel	Brass, Gold
Body Plating Spec.		3μ in. minimum
·		

Environmental Specifications

Temperature

Operating Range -55 to +125 deg C

Compliance Certifications (visit www.FairviewMicrowave.com for current document)

Plotted and Other Data

Notes:

Configuration:

- N Male
- MCX Plug Right Angle
- RG-316

Fairview Microwave 1130 Junction Dr. #100 Allen, TX 75013


Tel: 1-800-715-4396 / (972) 649-6678

Fax: (972) 649-6689 www.fairviewmicrowave.com sales@fairviewmicrowave.com



Length

Typical Performance Data



Example: FMC0117315-12 = 12 inches long cable FMC0117315-100cm = 100 cm long cable


N Male to RA MCX Plug Cable RG-316 Coax in 12 Inch from Fairview Microwave has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link to obtain additional part information: N Male to RA MCX Plug Cable RG-316 Coax in 12 Inch

URL: http://www.fairviewmicrowave.com/n-male-ra-mcx-plug-cable-rg316-coax-fmc0117315-12-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Fairview Microwave reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Fairview Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Fairview Microwave does not assume any liability arising out of the use of any part or documentation.





FAIRVIEW MICROWAVE INC. ALLEN, TX 75013 WWW.FAIRVIEWMICROWAVE.COM	NOTES: 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL. 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME. 3. DIMENSIONS ARE IN INCHES [mm].						
N Male to RA MCX Plug Cable RG-316 Coax in 12 Inch	DWG NO FMC1717315			CAGE CODE 3FKR5			
	CAD FILE 103114	SHEET	SCALE	N/A	SIZE A	5568	