

FMCA9765-24 DATA SHEET

10KV Female Bulkhead to 10KV Female Bulkhead Cable RG303HV Coax in 24 Inch

The 10KV female bulkhead to 10KV female bulkhead 24 inch cable using RG303HV coax, part number FMCA9765-24, from Fairview Microwave is in-stock and ships same day. This Fairview 10KV to 10KV cable assembly has a female to female gender configuration with 50 ohm RG303HV coax. Our RF cable assembly with 10KV bulkhead interface allows designers to create external connections on their product enclosures, and can be used in a variety of other rack mount and panel mount applications. Our 10kV high voltage RF cable assemblies are designed to handle higher voltages and minimize the risk of electric shock. Both the connectors used in this cable assemblies have recessed contact design to withstand unmated higher voltage. These cable assemblies are commonly used in applications where high voltage transmission and RF signal integrity are critical. These cable assemblies are constructed with high-quality insulation materials capable of withstanding higher voltages, ensuring safety and preventing electrical breakdown. Our cable assemblies are built with durable and flexible materials to withstand harsh environmental conditions and repetitive movements, ensuring reliable performance over extended periods.

Custom versions of most RF cable assemblies can be built and shipped same day. Custom cable assembly lengths can be obtained by specifying the desired length on the web site at time of order or by contacting a sales representative. Other RF cable assembly value added services including connector orientation or clocking, heat shrink booting and labeling are also available. RF testing can also be performed to document the electrical performance of your cable assembly.

Electrical Specifications

Description	Min	Тур	Max	Units	
Velocity of Propagation		69		%	
Operating Voltage (DC)			10,000	Vdc	
Test Voltage (DC)			15,000	V	

Electrical Specification Notes: Values at 25°C, sea level.

Mechanical Specifications

Cable Assembly

Length* 24 in [609.6 mm] Weight 0.03 lbs [13.61 g]

Cable

Cable Type RG303HV
Impedance 50 Ohms
Inner Conductor Material and Plating Silver, Copper Clad Aluminum

Dielectric Type FEP
Number of Shields 1
Jacket Material FEP
Jacket Diameter 0.16

Repeated Minimum Bend Radius

1 FEP

0.169 in [4.29 mm] 0.788 in [20.02 mm]

Configuration:

- 10KV Female Bulkhead
- 10KV Female Bulkhead
- RG303HV

Features:

- 69% Phase Velocity
- FEP Jacket
- Voltage rating of 10kV
- Recessed Contacts

Applications:

- General Purpose
- Laboratory Use
- High voltage power supplies/Amplifiers
- Nuclear instrumentation
- Test and measurement equipment

Fairview Microwave 301 Leora Ln., Suite 100 Lewisville, TX 75056

Tel: 1-800-715-4396 / (972) 649-6678

Fax: (972) 649-6689 www.fairviewmicrowave.com sales@fairviewmicrowave.com





Connectors

Description	Connector 1	Connector 2	
Туре	10KV Female Bayonet	10KV Female Bayonet	
Mount Method	Bulkhead	Bulkhead	
Specification	MIL-STD-202	MIL-STD-202	
Impedance	50 Ohms	50 Ohms	
Contact Material & Plating	Brass, Gold/Tri-Metal	Brass, Gold/Tri-Metal	
Dielectric Type	PE (HD)	PE (HD)	
Body Material & Plating	Brass, Tinned Copper	Brass, Tinned Copper	
Coupling Nut Material & Plating	Brass, Tinned Copper	Brass, Tinned Copper	

Compliance Certifications (see product page for current document)


Plotted and Other Data

Notes:

Values at 25°C, sea level.

How to Order

Part Number Configuration:



Example: FMCA9765-12 = 12 inches long cable

FMCA9765-100cm = 100 cm long cable

10KV Female Bulkhead to 10KV Female Bulkhead Cable RG303HV Coax in 24 Inch from Fairview Microwave has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link to obtain additional part information: 10KV Female Bulkhead to 10KV Female Bulkhead Cable RG303HV Coax in 24 Inch FMCA9765-24

URL: https://www.fairviewmicrowave.com/10kv-female-bulkhead-to-10kv-female-bulkhead-cable-rg303hv-coax-in-24-inch-fmca9765-24-p.aspx


The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Fairview Microwave reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Fairview Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Fairview Microwave does not assume any liability arising out of the use of any part or documentation.

301 Leora Ln., Suite 100, Lewisville, TX 75056 | Tel: 1-800-715-4396 / (972) 649-6678 / Fax: (972) 649-6689

Copyright © 2020 REV 1 Page 2 of 3







301 Leora Ln., Suite 100, Lewisville, TX 75056 | Tel: 1-800-715-4396 / (972) 649-6678 / Fax: (972) 649-6689