



1.85mm Male to 1.85mm Male Adapter

1.85mm male to 1.85mm male adapter part number SM3932 from Fairview Microwave is in-stock and ships same day. This Fairview 1.85mm to 1.85mm adapter has a male to male gender configuration and is built of durable stainless steel. SM3932 1.85mm male to 1.85mm male adapter operates to 65 GHz. The 1.85mm connector mates mechanically with commercially available 2.4mm connectors. The Fairview Microwave RF adapter provides good VSWR of 1.33:1 maximum.

RF adapters can be used to enable connections between two connector types that would otherwise not mate. Certain RF adapter configurations can also be used to protect connectors on expensive equipment where the number of connect and disconnect cycles is high. An RF, microwave, or millimeter wave adapter is connected to the equipment and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Fairview Microwave also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

Electrical Specifications

Description	Min	Тур	Max	Units		
Frequency Range	DC		65	GHz		
VSWR			1.33:1			

Electrical Specification Notes: Values at 25°C, sea level.

Mechanical Specifications

Size

Length	0.791 in [20.09 mm]					
Weight	0.0	0.0097 lbs [4.4 g]				
Description	Connector 1	Connector 2				
Туре	1.85mm Male	1.85mm Male				
Polarity	Standard	Standard				
Mating Cycles	500	500				
Mating Torque	8 to 10 in-lbs	8 to 10 in-lbs				

[0.90 to 1.13 Nm]

[0.90 to 1.13 Nm]

THE WILLIAM ON THE STATE OF THE

Configuration:

- 1.85mm Male Connector 1
- 1.85mm Male Connector 2
- 50 Ohms
- Straight Body Geometry

Features:

- VSWR of 1.33:1 max up to 65 GHz
- Contact plating according to MIL-G-45204
- Gold over Nickel Plated Beryllium Copper Contact

Applications:

· General Purpose Test

Fairview Microwave 1130 Junction Dr. #100 Allen, TX 75013 Tel: 1-800-715-4396 / (972) 649-6678

Fax: (972) 649-6689 www.fairviewmicrowave.com sales@fairviewmicrowave.com





Material Specifications

Description	Connector 1	Connector 2			
Туре	1.85mm Male	1.85mm Male			
Contact Material	Beryllium Copper	Beryllium Copper			
Contact Plating	Gold over Nickel	Gold over Nickel			
Contact Plating Spec.	MIL-G-45204	MIL-G-45204			
Insulation Material	Oxide-Noryl	Oxide-Noryl			
Body Material	Passivated Stainless Stee	Passivated Stainless Steel			
Body Plating Spec.	ASTM A380	ASTM A380			
Coupling Nut Material	Passivated Stainless Stee	l Passivated Stainless Steel			
Coupling Nut Plating Spec.	ASTM A380	ASTM A380			

Environmental Specifications

Temperature

Operating Range Vibration Salt Spray -55 to +100 deg C

MIL-STD 202, Method 204, Condition D (20 G's)


MIL-STD 202, Method 101, Condition B, 5% salt solution

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

Typical Performance Data







1.85mm Male to 1.85mm Male Adapter from Fairview Microwave is in-stock and available to ship same-day. All of our RF/ microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Allen, Texas. Fairview Microwave is RF on-demand.

For additional information on this product, please click the following link: 1.85mm Male to 1.85mm Male Adapter SM3932


The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order

URL: https://www.fairviewmicrowave.com/1.85mm-male-1.85mm-male-adapter-sm3932-p.aspx

	nent improv												
stated, al	l specificati	ons are i	nominal.	Fairvie	w Microwa	ve does n	ot make	any rep	resentat	ion or v	warranty re	gard	ing the
suitability	of the part	t describ	ed hereir	for any	/ particulai	r purpose,	and Fair	view Mi	crowave	does n	ot assume	any	liability
arising ou	t of the use	of any p	part or do	cument	ation.								







FAIRVIEW MICROWAVE INC. ALLEN, TX 75013 WWW.FAIRVIEWMICROWAVE.COM NOTES: 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL. 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE 3. DIMENSIONS ARE IN INCHES [mm].						IY TIME.
1.85mm Male to 1.85mm Male Adapter	DWG NO SM3932			CAGE CODE 3FKR5		
	CAD FILE 111815	SHEET	SCAL	E N/A	SIZE A	150