



## SMA Female to 1.0/2.3 Plug Adapter

## **Electrical Specifications**

Description	Min	Тур	Max	Units
Frequency Range	DC		6	GHz
VSWR			1.2:1	

## **Mechanical Specifications**

<b>Size</b> Length	1.055 in [26.8 mm]
Weight	0.01455 lbs [6.6 g]

Description	Connector 1	Connector 2
Туре	SMA Female	1.0/2.3 Plug
Polarity	Standard	Standard
Mating Cycles	500	

## **Material Specifications**

Description	Connector 1	Connector 2
Туре	SMA Female	1.0/2.3 Plug
Contact Material	Beryllium Copper	Beryllium Copper
Contact Plating	Gold	Gold
Contact Plating Spec.	MIL-G-45204	MIL-G-45204
Outer Contact Material	Beryllium Copper	Beryllium Copper
Outer Contact Plating	Gold	Gold
Body Material	Brass	Brass
Body Plating	Tri-Metal	Tri-Metal

#### **Environmental Specifications**

#### **Temperature**

Operating Range

-40 to +120 deg C

**Compliance Certifications** (visit www.FairviewMicrowave.com for current document)

Not RoHS Compliant REACH Compliant

12/17/2014

## **Plotted and Other Data**

Notes:



# **Configuration:**


- SMA Female Connector 1
- 1.0/2.3 Plug Connector 2
- •50 Ohms
- Straight Body Geometry

Fairview Microwave 1130 Junction Dr. #100 Allen, TX 75013 Tel: 1-800-715-4396 / (972) 649-6678

Fax: (972) 649-6689 www.fairviewmicrowave.com sales@fairviewmicrowave.com



#### **Typical Performance Data**



SMA Female to 1.0/2.3 Plug Adapter from Fairview Microwave is in-stock and available to ship same-day. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Allen, Texas. Fairview Microwave is RF on-demand.


For additional information on this product, please click the following link: SMA Female to 1.0/2.3 Plug Adapter SM5537

URL: http://www.fairviewmicrowave.com/sma-female-1.0-2.3-plug-adapter-sm5537-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Fairview Microwave reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Fairview Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Fairview Microwave does not assume any liability arising out of the use of any part or documentation.







STANDARD TOLERANCES
.X ±0.2
.XX ±0.1
.XXX ±0.05

\*STANDARD TOLERANCES APPLY ONLY TO DIMENSIONS IN INCHES

FAIRVIEW MICROWAVE INC.  ALLEN, TX 75013 WWW.FAIRVIEWMICROWAVE.COM	NOTES:  1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.  2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.  3. DIMENSIONS ARE IN INCHES [mm].					
SMA Female to 1.0/2.3 Plug Adapter	DWG NO SM5537			CAGE CODE 3FKR5		
	CAD FILE 122215	SHEET	SCAL	E N/A	SIZE A	150